

	Application No.	Applicant(s)		
	09/661,306	ABE ET AL.		
Notice of Allowability	Examiner	Art Unit		
,	Kevin M. Burd	2631		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to the amendment filed 6/16/2005.				
2. The allowed claim(s) is/are <u>20-37</u> .				
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.</li> </ul>				
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
<ul> <li>5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
	·			
Attachment(s)				
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application (PTC	D-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (		·	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		Paper No./Mail Date  7.		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	<ul><li>8. ☑ Examiner's Statement</li><li>9. ☐ Other</li></ul>	nt of Reasons for Allo	wance	

Art Unit: 2631

## Response to Arguments

Applicant's arguments, see pages 11-20 of the remarks filed 6/16/2005, with respect to claims 28-37 have been fully considered and are persuasive. The rejections of these claims have been withdrawn.

## Allowable Subject Matter

Claims 20-37 are allowed.

The following is an examiner's statement of reasons for allowance: Evenstad (US 5,453,834) discloses a receiver that generates a sample timing and shifts the phase of the sample timing by 180 degrees as shown in figure 8. However, Evenstad does not disclose all of the limitations stated in claims 20-27 and 33. Synder et al (US 5,563,596) discloses the receiver shown in figure 1. Synder discloses sampling the received signal in elements 18 and 30. A clock 24 is provided for sampling. However, Snyder does not disclose shifting the phase of the clock signal by 180 degrees as claimed in claims 20-27 and 33. Snyder discloses shifting the received signal by 180 degrees and then sampling the shifted received signal. Powell, II et al (US 6,130,920) discloses the receiver of figure 2. The receiver samples the received signal and determines a correlation between the received signal and a known sequence in a series of correlators (31-34). These correlators estimate a first timing of the received signal. A MAX INDEX value is calculated and used to select the maximum correlation value and adjusts the symbol's synchronization clock but Powell does not disclose all the limitations recited in

Art Unit: 2631

claims 28-30, 34, 36 and 37. Yamamoto (US 5,369,668) discloses a receiver shown in figure 1 comprising correlators that update tap coefficients to remove ISI. However, the ISI canceller does not provide a signal to synchronize the incoming signal with the receiver as claimed in claims 31, 32 and 35.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin M. Burd whose telephone number is (571) 272-3008. The examiner can normally be reached on Monday - Friday 9 am - 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad Ghayour can be reached on (571) 272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/661,306

Art Unit: 2631

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kevin M. Burd 8/30/2005 KEVIN BURD PRIMARY EXAMINER